Appl. No. 10/662,031 Amdt. Dated July 26, 2005 Reply to Office Action of April 25, 2005

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claim 1 (currently amended): A gas discharge display for emitting light by discharging a discharge gas confined in a discharge space using electrodes to produce ultraviolet light and utilizing the ultraviolet light to irradiate a phosphor layer, thereby producing a visible ray, comprising:

a gas mixture as the discharge gas, which includes neon and krypton, a proportion of the krypton being 1.1% to 5% by volume in the gas mixture, and a pressure of the discharge gas being more than 250Torr and less than 500Torr.

Claims 2-3 (canceled)

Claim 4 (currently amended): The gas discharge display of claim 1, wherein the gas discharge display further comprises a front glass substrate and a back glass substrate, and the electrodes are arranged on the front and the back glass substrates, respectively.

Claim 5 (original): The gas discharge display of claim 4, wherein the front glass substrate with the electrodes are covered by a dielectric layer thereon.

Claim 6 (original): The gas discharge display of claim 5, wherein a protective layer covers the entire surface of the dielectric layer.

Appl, No. 10/662,031 Amdt, Dated July 26, 2005 Reply to Office Action of April 25, 2005

Claim 7 (original): The gas discharge display of claim 6, wherein the protective layer is made of magnesium oxide (MgO).

Claim 8 (currently amended): A gas discharge display for emitting light, comprising:

a plurality of discharge spaces formed by a space between a front glass substrate and a back glass substrate partitioned by a plurality of barrier ribs;

a plurality of electrodes arranged on the front glass substrate and the back glass substrate, respectively;

a plurality of phosphor patches applied on the back glass substrate, one phosphor patch having one color per corresponding [[a]] discharge space; and

a discharge gas confined in the discharge space spaces, the discharge gas having neon and krypton, a proportion of the krypton being 1.1% to 5% by volume, and a pressure of the discharge gas being more than 250Torr and less than 500Torr;

wherein the gas discharge display emit emits light by using the electrodes applying to apply a voltage to the discharge gas to produce ultraviolet light, and utilizing the ultraviolet light to irradiate the phosphor patch patches, thereby producing a visible ray.

Claims 9-10 (canceled)

Claim 11 (original): The gas discharge display of claim 8, wherein the front glass substrate with the electrodes are covered by a dielectric layer

Appl. No. 10/662,031 Amdt. Dated July 26, 2005 Reply to Office Action of April 25, 2005 thereon.

Claim 12 (original): The gas discharge display of claim 11, wherein a protective layer covers the entire surface of the dielectric layer.

Claim 13 (original): The gas discharge display of claim 12, wherein the protective layer is made of magnesium oxide (MgO).

Claim 14 (currently amended): A gas discharge display including means for emitting light by discharging a discharge gas confined in a discharge space and using electrodes to produce ultraviolet light and utilizing the ultraviolet light to irradiate a fluorescent layer, thereby producing a visible ray, wherein

the discharge gas is a gas mixture which includes neon and krypton a proportion of the krypton being 1.1% to 5% by volume in the gas mixture, and a pressure of the discharge gas being more than 250Torr and less than 500Torr.

Claims 15-16 (canceled)

Claim 17 (currently amended): The gas discharge display of claim 14, wherein the gas discharge display further comprises a front glass substrate and a back glass substrate, and the electrodes are arranged on the front and the back glass substrates, respectively.

Claim 18 (original): The gas discharge display of claim 17, wherein the front glass substrate with the electrodes are covered by a dielectric layer thereon.

Claim 19 (original): The gas discharge display of claim 18, wherein a

Appl. No. 10/662,031
Amdt. Dated July 26, 2005
Reply to Office Action of April 25, 2005
protective layer covers the entire surface of the dielectric layer.

Claim 20 (original): The gas discharge display of claim 19, wherein the protective layer is made of magnesium oxide (MgO).